



Retail Food Facility Inspection Report

Facility: HOMER-CENTER EL SCH Facility ID: 30592
 Owner: HOMER CITY SCHOOL DISTRICT
 Address: 65 WILDCAT LN
 City/State: HOMER CITY PA
 Zip: 15748 County: Indiana Region: Region 4N
 Phone: (724) 479-3601

Insp. ID:
 Insp. Date: 3/8/2018
 Insp. Reason: Regular
 No. of Risk Factors: 1
 No. of Repeat Risk Factors: 0
 Overall Compliance: IN

TEMPERATURE OBSERVATIONS

Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
Hot Water	Sink	103°F	Ambient-Traulsen	Refrigerator	38°F	Ambient-Traulsen	Freezer	3°F
Ambient	Walk-In Cooler	37°F	Chicken	Hot-Hold Unit	146°F	Ambient-Traulsen	Hot-Hold Unit	164°F
Beef	Hot-Hold Unit	139°F	Ambient	Walk-In Freezer	-2°F			

OBSERVATIONS AND CORRECTIVE ACTIONS

Violations cited in this report must be corrected within the timeframes below

Item Number	Violation of Code	Comment	Correct By Date	Repeat Violation
27.	7 - 204.11	Three sanitizer buckets not registering any quat sanitizer concentration. Soap is added with sanitizer. CORRECTED ON SITE	3/8/2018	
46.	4 - 502.11(A) (C)	Two spatulas located in prep area are not in good repair/condition, rubber has chipped away creating an uneven surface.	3/8/2018	

PUBLISHED COMMENTS

PURPOSE OF VISIT WAS FOR A ROUTINE INSPECTION.
 ELEMENTARY SCHOOL CAFETERIA.
 REPORT REVIEWED WITH FOOD SERVICE DIRECTOR, Susan McLoughlin and Andrea Nicolo - Cook

The compliance status of this facility and a copy of this inspection report will be posted on the PA Department of Agriculture website.



Retail Food Facility Inspection Report

Facility: HOMER-CENTER JR/SRHS Facility ID: 67724
 Owner: HOMER VALLEY SCHOOL DISTRICT
 Address: 85 WILDCAT LN
 City/State: HOMER CITY PA
 Zip: 15748 County: Indiana Region: Region 4N
 Phone: (724) 479-8028

Insp. ID:
 Insp. Date: 3/8/2018
 Insp. Reason: Regular
 No. of Risk Factors: 2
 No. of Repeat Risk Factors: 0
 Overall Compliance: IN

TEMPERATURE OBSERVATIONS

Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
Ambient-Victory	Refrigerator	38°F	Hot Water	Sink	104°F	Ambient	Walk-In Freezer	-4°F
Milk/Dairy	Cold-Hold Unit	37°F	Cheese	Hot-Hold Unit	143°F	Ambient	Walk-In Cooler	36°F
Ambient-Wittco	Hot-Hold Unit	169°F						

OBSERVATIONS AND CORRECTIVE ACTIONS

Violations cited in this report must be corrected within the timeframes below

Item Number	Violation of Code	Comment	Correct By Date	Repeat Violation
9.	5 - 205.11	The handwash sink in the prep area was blocked by a fan and not accessible at all times for employee use. CORRECTED ON SITE	3/8/2018	
27.	7 - 204.11	Two sanitizer buckets in prep area not registering any quat sanitizer concentration. Detergent was added to buckets also. CORRECTED ON SITE	3/8/2018	
46.	4 - 502.11(A)(C)	Five spatulas located in prep area are not in good repair or condition, rubber has chipped away creating an uneven surface. Manager discarded them.	3/8/2018	

PUBLISHED COMMENTS

PURPOSE OF VISIT WAS FOR A ROUTINE INSPECTION.
 JSHS CAFETERIA

REPORT REVIEWED WITH Susan McLoughlin, Food Service Director.

The compliance status of this facility and a copy of this inspection report will be posted on the PA Department of Agriculture website.